TaRGETed Therapy with Glycogen Synthase Kinase-3 Inhibition for Arrhythmogenic Cardiomyopathy (TaRGET)

A multi-centre, placebo-controlled, double-blinded, trial of tideglusib in genotype positive arrhythmogenic cardiomyopathy












Trial design

Multicentre, double-blinded, placebo-controlled, parallel group, randomised controlled trial



Hypothesis: Tideglusib treatment will reduce the frequency of premature ventricular complexes (PVCs) in patients with arrhythmogenic cardiomyopathy (ACM)

Participating Canadian Sites

- Ontario
 - Hamilton General Hospital
 - Toronto General Hospital
 - London Health Sciences Centre
 - Ottawa Heart Institute
 - Kingston General Hospital
 - St. Michael's Hospital
 - Sunnybrook Hospital
 - Centenary Hospital
 - Southlake Regional Health Centre
- Nova Scotia
 - Queen Elizabeth II Health Sciences Centre
- Newfoundland
 - Health Sciences Centre

- Quebec
 - Montreal Heart Institute
 - McGill University Health Centre
 - Quebec Heart and Lung Institute
 - Hospital of the Sacre Coeur
- British Columbia
 - University of British Columbia
- Alberta
 - University of Calgary
- Manitoba
 - University of Manitoba

